

Assignment #2

Date Due: March 18, 2025

Total: 100 marks

We also have the following languages computed in Assignment #1: We have the following languages: $L_1 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ that begin with } 1101\}$,

$L_2 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ that end with } 1011\}$,

$L_3 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ with } 101 \text{ being a subword}\}$,

$L_4 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ with an odd number of } 2\text{'s}\}$,

$L_5 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ with an even number of } 2\text{'s}\}$,

$L_6 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ having the fourth symbol from the right end a } 1\}$,

$L_7 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ beginning with } 1022\}$,

$L_8 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ ending in } 1022\}$,

$L_9 = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ with the number of } 1\text{'s multiple of } 6\}$,

$L_{10} = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ with the number of } 1\text{'s multiple of } 7\}$,

$L_{11} = \{\text{the set of all strings over the alphabet } \{a, b\} \text{ with the number of } a\text{'s multiple of } 5\}$,

$L_{12} = \{\text{the set of all strings over the alphabet } \{a, b\} \text{ with the number of } b\text{'s multiple of } 6\}$,

$L_{13} = \{\text{the set of all strings over the alphabet } \{0, 1, 2\} \text{ consisting only of alternating groups of } 21 \text{ and } 11 \text{ (} 21 \text{ and } 11 \text{ alternates at least once)}\}$,

and the following homomorphisms

$h : \{a, b\} \rightarrow \{0, 1, 2\}^*$, $h(a) = 10$, $h(b) = 21$; $g : \{0, 1, 2\} \rightarrow \{a, b\}^*$, $g(0) = aa$, $g(1) = b$, $g(2) = \varepsilon$; and $f : \{a, b, c\} \rightarrow \{0, 1, 2\}^*$, $f(a) = 10$, $f(b) = 11$;

1. $L_{20} = L_1 \cap L_2$.

2. $L_{21} = 1011\Sigma^* \cap \Sigma^*1101$

3. $L_{22} = L_{13}$

4. $L_{23} = L_6$

5. $L_{24} = L_7 \cap L_8$

6. $L_{25} = L_{11} \setminus L_{12}$

7. $L_{26} = h^{-1}(L_4)$

8. $L_{27} = f^{-1}(L_1^R) \cap h^{-1}(L_5)$

9. $L_{28} = g(L_1^R)$

1. (60 marks) For each of the following languages give a regular expression generating them over the alphabet $\{0, 1, 2\}$ or $\{a, b, c\}$, depending on the description of the language (10 marks each):

- (a) L_{20}
- (b) L_{21}
- (c) L_{22}
- (d) L_{23}
- (e) L_{24}
- (f) L_{25}
- (g) L_{26}
- (h) L_{27}
- (i) L_{28}

2. (20 marks) Write regular expressions for the following languages over the alphabet $\Sigma = \{0, 1, 2, 3, 5\}$:

- (a) the set of all strings beginning with a **1, 2 or 3**, that, when the string is interpreted as an integer **in base 7, is a multiple of 6 plus 1**. For example:

- strings 10,25,100,115,133,313,1015,1105,3013 and 200005 are in the language;
- the strings 3,4, 21,02,04,23,50,113,135,3005,200001,3011,1103 and 035 are not.

- (b) The set of all strings that ends with an **1, 2, or 3** and when the string is interpreted **in reverse** as an integer **in base 7, is a multiple of 6 plus 1**.

- Examples of strings in the language are 01,52,001,511,331,313,5101,5011,3103 and 500002
- Examples of strings that are not in the language are: 3,4,12,20,40,32,05,311,531,5003,100002,1103,301 and 530.

3. (25 marks) Consider the DFA with the following transition table:

	0	1
$\rightarrow * 0$	1	3
1	2	1
* 2	1	2
* 3	3	4
4	4	3

- (a) (10 marks) Find the equivalent regular expression using the algorithms learned in class.

- (b) (10 marks) Transform the regular expression into an ε -NFA
 - (c) (10 marks) Transform the ε -NFA into a DFA.
4. (25 marks) Check your results with Grail+ and comment on the Grail+ experiments (another 5 marks/test(language)).